## **SLW Series**

# 1.00MM ZIF RIGHT-ANGLE AND STRAIGHT FFC-FPC CONNECTOR

ZIF FFC-FPC Connector series with top and bottom contact type. These through hole connectors feature a height of 4.00mm for Right-Angle and 5.50mm for Straight type, with 4 to 32 contacts. HLW series connectors have a proven track record in automotive, data, industrial, telecommunications, consumer, and medical application equipment.

- Easy to operate and strong FFC/FPC retention makes it vibration-proof
- Ensures high solderability and high durability
- Operating temperature range of -55°C to +85°C



#### **FEATURES**

- ZIF (Zero Insertion Force) mechanism
- Easy cable operation
- Design against solder and flux wicking
- High-temperature, dimensional stable thermoplastic housing
- 4 to 32 positions available
- Lead and halogen-free

#### **BENEFITS**

- Stress free mating provides high number of mating cycles
- Simple action and strong FFC/FPC retention ensures contact stability
- Ensures high solderability
- Covers general operating temperature range of -55°C to +85°C
- Supports many applications as a general-purpose product
- Meet environmental, healthy and safety requirement



#### **TECHNICAL INFORMATION**

#### **MATERIAL**

■ Housing: LCP, natural color (UL94V-0)

• Contact: Phosphor bronze

■ Tab: Brass

#### **MECHANICAL PERFORMANCE**

• FFC/FPC Retention Force: 0.49N/contact min.

Durability: 10 mating cycles

#### **ELECTRICAL PERFORMANCE**

• Voltage Rating: 100V A.C./D.C.

• Current Rating: 1.0A A.C./D.C.

Contact Resistance: 30mΩ max.(initial value)

• Insulation Resistance: 500M $\Omega$  min.

 Dielectric Withstanding Voltage: No short or breakdown after 500V A.C., 1mA, 1min.

#### **ENVIRONMENTAL**

■ Operating Temperature Range: -55°C to +85°C

#### **APPROVALS & CERTIFICATION**

■ RoHS compliant

#### **SPECIFICATIONS**

• Orientation: Right-angle and straight

• Cable Termination: ZIF

Cable Type: FFC/ FPC

• Board Termination: Through hole (DIP)

Contact Location: Bottom

Height: 4.0mm (Right-angle) and 5.5mm (straight)

Lead-free tin plating

#### **TARGET MARKETS/APPLICATIONS**



Car Multimedia Car Navigation Dashboard Lighting



Gaming LCD & OLED Displays



Base Station Switches Controllers Storage



Controllers HMI Vending Machines

PLC Drives



Ultrasonic Patient Monitor MRI

СТ

Infusion Pump Hospital Bed

### **PART NUMBER SELECTOR**

